

### LED Desk Lamps



Warm-white and cold-white LEDs can be dimmed separately

#### LED Design Lamp MAULprimus

- Awarded Product of the Year 2010 prize by ISPA (International Stationery Press Association)
- Made in Germany
- With 6 high-performance LEDs of the newest generation
- Energy efficiency classification "A"
- Over 5000 Lux light from a 25 cm distance (over 2000 lux from 35 cm)
- Warm-white and cold-white LEDs can be dimmed, separately from each other; the light strength and colour mood can be determined for each individual
- Elegant dimming function via touch-management
- More than 80% energy saved in comparison to a normal bulb and 40% in comparison to a halogen bulb
- Extreme low power consumption max. 10 watt
- No standby loss due to efficient energy concept
- The life of the LEDs is over 50 000 hours
- Futuristic design, "Made by Reutershahn"
- High stability due to steel insert in the lamp base
- Surface protection, velvety covering on lamp base
- Elliptic-formed stainless steel spring
- Anodised aluminium lamp head
- Lamp head can be turned by 80° and tilted by 60°
- Height adjustable from 26 to 52 cm
- Length of lead 1,9 m

Art. No.	Colours	PU	Guarantee
820 70	95 silver	1 pc.	3 year



### LED Desk Lamps



#### LED Design Lamp MAULprimus

- Made in Germany
- With 6 high-performance LED of the newest generation: 3 warm white (2700 Kelvin) and 3 daylight white (6500 Kelvin) LED
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "A2"
- Over 5000 Lux light strength at 25 cm distance (over 2000 Lux at 35 cm distance)
- More than 80 % energy-saving as compared with a normal bulb and 40 % as compared with a halogen bulb
- Extremely low power consumption with max. 9 Watt
- No standby loss due to efficient energy concept
- Life length of LED over 50 000 hours
- Futuristic design, "Made by Reutershahn"
- High stability due to steel inlay in lamp base
- Surface protection, velvety covering on lamp base
- Elliptic-formed stainless steel spring
- Anodised aluminium lamp head
- Lamp head can be turned by 80° and tilted by 60°
- Height adjustment from 26 to 52 cm
- Length of lead 1,9 m

Art. No.	Colours	PU	Guarantee
820 68	95 silver	1 pc.	3 year



#### LED Lamp MAULhelius

- With 18 white LEDs, diffuser lens for homogenous light distribution
- Energy efficiency class "A"
- 2000 Lux light strength from a 35 cm distance
- Extreme low power consumption, 12 watt
- Upper and lower arm length 39 cm
- Lamp head with glare shield, can be turned by 220° and tilted by 180°
- Aluminium arms and joints
- Flip switch on head for easy ON/OFF function
- Power supply unit is integrated in the plug
- Length of lead 1,25 m
- 820 50: Metal clamp base with desk protection for desks up to 6 cm. Angle of rotation in clamp 90°. Length of upper arm 39 cm, lower arm 39 cm. Height in normal working position 48 cm
- 820 51: Stable stand version with metal inlay and desk protection. Angle of rotation for stand version 90°. Length of upper arm 39 cm, lower arm 39 cm. Height in normal working position 51 cm

Art. No.	Colours	Base	PU	Guarantee
820 50	95 silver	Clamp	1 pc.	2 year
820 51	95 silver	Stand version	1 pc.	2 year

### LED Desk Lamps



#### LED Lamp MAULsolaris

- Made in Germany
- With 1 high-performance LED of the newest generation, 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency classification "A"
- Over 2000 Lux light from a 25 cm distance
- Extreme low power consumption max. 9 watt
- No standby loss due to efficient energy concept
- The life of the LED is over 30 000 hours
- Futuristic design, "Made by Reutershahn"
- Arm length 55 cm
- Lamp head can be turned by 150° and tilted by 55°
- Anodised aluminium arm and lamp head
- Stable plastic joints
- Height in normal working position 50 cm
- Height adjustable from 25 to 62 cm
- Sturdy 6mm powder-coated metal base
- Non-slip desk protection
- Integrated power supply in base
- Flip switch on base for easy ON/OFF function
- Length of lead 1,90 m

Art. No.	Colours	PU	Guarantee
820 60	95 silver	1 pc.	3 year



### LED Desk Lamps



#### LED desk lamp LUM Rainbow

- Reflector with 50 LEDs, 12 V, 6900 Kelvin, 50.000 hours
- Power consumption 5 watt, energy efficiency class "A"
- Sturdy double arm with joints, upper arm length 20 cm, lower 40 cm
- Height in normal working position 45 cm
- Versatile adjustment of reflector, length 23 cm
- Oval base, 25 cm
- Switch on lamp head
- Length of lead 1,6 m

Art. No.	Colours	PU	Guarantee
820 04	95 silver	1 pc.	2 year



#### LED Desk Lamp MAULéclipse

- With 48 LED, 6500 Kelvin, daylight white
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "B"
- 1000 Lux light strength at 35 cm distance
- Extremely low power consumption of 8 watt
- LED life cycle 15 000 hours
- Upper and lower arm length 40 cm
- Versatile adjustment of oval reflector
- Aluminium arm and lamp head
- Height in normal working position 45 cm
- Stable plastic base with weight inlay and desk protection, 22 x 16 cm
- Switch on lamp head for easy switch-on and off
- Protection class III
- Length of lead 1,60 m

Art. No.	Colours	PU	Guarantee
820 02	90 black, 95 silver	1 pc.	2 year



#### LED Desk Lamp MAULstorm

- With 50 LED, 6500 Kelvin, daylight white
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "B"
- 1000 Lux light strength at 35 cm distance
- Extremely low power consumption of 8 watt
- Life cycle of LED 15 000 hours
- Arm length 40 cm
- Versatile adjustment of oval reflector
- Aluminium and plastic head and arm
- Height in normal working position 43 cm
- Stable plastic base, 22 x 16,5 cm, with weight inlay and desk protection
- Switch on lamp head for easy switch-on and off
- Protection class III
- Length of lead 1,75 m

Art. No.	Colours	PU	Guarantee
820 09	90 black, 95 silver	1 pc.	2 year

### LED Desk Lamps

#### LED Lamp MAULswan dimmable

- With 73 SMD-LED of the newest generation, 65000 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "B"
- Over 1600 Lux light strength from 35 cm distance
- Very low standby consumption of 0,5 Watt due to the power supply switch in the plug
- Life length of the LED over 15 000 hours
- Simple elegant design
- Length of arm 34 cm
- Lamp head can be rotated 175°
- Shock-proof plastic arm, head and joints
- Height in normal working position 36 cm
- Shock-proof plastic stable base, Ø 17 cm with weight inlay and desk protection feet
- 5-step-switch integrated in the head for easy use
- Protection class II
- Length of lead 1,8 m

Art. No.	Colours	PU	Guarantee
820 17	02 white, 90 black	1 pc.	2 year

#### LED Lamp MAULswan

- With 49 SMD-LED of the newest generation, 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "B"
- Over 1450 Lux light strength from 35 cm distance
- Extreme low consumption with 8 Watt
- Night lamp function (orientation lamp) with only 0,7 Watt
- Very low standby consumption of 0,3 Watt due to the power supply switch in the plug
- Life length of the LED over 15 000 hours
- Simple elegant design
- Length of arm 34 cm
- Lamp head can be rotated 175°
- Shock-proof plastic arm, head (41,5 x 6,5 cm) and joints
- Height in normal working position 36 cm
- Shock-proof plastic stable base, Ø 17 cm with weight inlay and desk protection feet
- 3-step-switch (off-nightlight-on) integrated in the head for easy use
- Protection class II
- Length of lead 1,8 m

Art. No.	Colours	PU	Guarantee
820 14	02 white, 90 black	1 pc.	2 year

### Energy-Saving Lamps



#### Energie-Saving Lamp MAULwave

- Includes 20 watt energy-saving bulb (E27, Megaman), 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency classification "A"
- Aluminium arms and joints
- Upper and lower arm length 39 cm
- Lamp head with glare shield, rotatable 270° and inclinable 180°
- Reflector for optimal use of the light
- Flip switch on head for easy ON/OFF function
- Protection class II (double-insulated)
- Length of lead 1,25 m
- 60 watt bulb with E27 socket as replacement also possible
- 821 80: Metal clamp base with desk protection for desks up to 6 cm. Angle of rotation in clamp 90°. Upper arm length 41 cm, lower 41 cm. Height in normal working position 49 cm
- 821 81: Stable stand version with metal inlay and desk protection. Angle of rotation for stand version 90°. Upper arm length 41 cm, lower 41 cm. Height in normal working position 52 cm

Art. No.	Colours	Voltage	Base	PU	Guarantee
821 80	95 silver	230 Volt	Clamp	1 pc.	2 year
821 81	95 silver	230 Volt	Stand version	1 pc.	2 year



#### Energy-Saving Lamp MAULaera

- Includes 14 watt energy-saving bulb (E14), 2700 Kelvin, warm-white light
- Energy efficiency class "A"
- Cherry wood (Colour code: 90) or pear wood (colour code: 95) and lacquered metal arm.
- Arm, and head (18 x 8 cm) rotatable and inclinable
- Upper arm length 43 cm, lower 16 cm
- Height in normal working position 38 cm
- Metal base, Ø 22 cm with desk protection feet
- ON/OFF switch on lamp base
- Protection class II (double insulation)
- Electronic Voltage 230 V
- Length of lead 1,9 m
- Replacement energy-saving bulb, with E14 socket, Art-No. 828 13 05

Art. No.	Colours	PU	Guarantee
823 02	90 black, 95 silver	1 pc.	2 year

### Energy-Saving Lamps



#### Energy-Saving Lamp MAULoffice

- Includes 20 watt energy-saving bulb (E27), 4500 Kelvin, neutral white light
- Energy efficiency class "A"
- High-quality aluminium arm has a radius of 160 °
- Upper and lower arm length 41 cm
- Height in normal working position 54 cm
- Versatile adjustment of arm and reflector
- Reflector length 21 cm, rotatable and inclinable
- Anti-glare lamp head
- Stable rotatable metal base, elegant anthracite surface
- Metal clamp foot (up to 5,5 cm) included as an alternative
- Flip switch on head for easy ON/OFF function
- Protection class II (double-insulated), Length of lead 2 m
- Energy-saving replacement bulb with E27 socket, Art.-No. 828 20 05

Art. No.	Colours	Voltage	PU	Guarantee
821 50	95 silver	230 Volt	1 pc.	2 year



#### Energy-Saving Lamp MAULrock

- Aluminium arm and head
- Upper arm length 43 cm, lower 45 cm
- Height in normal working position 54 cm
- Reflector for optimal use of light
- Sturdy base with non-slip surface base
- Flip switch on head for easy ON/OFF function
- Protection class II (double-insulated)
- Non-slip surface base
- Length of lead 1,8 m
- Replacement energy-saving bulb with socket E27, Art.-No. 828 78 05 (Megaman)
- 823 41: Includes 14 watt energy-saving bulb (E27, Megaman), 6500 Kelvin, daylight. The advantage of daylight is the high light strength and the purity of the reflection. Energy efficiency classification "A"
- 823 40: Also suitable for compact (10,5 x 6,0 cm) energy-saving bulb E27

Art. No.	Colours	Bulb	Voltage	PU	Guarantee
823 41	02 white, 90 black, 95 silver	included	230 Volt	1 pc.	2 year
823 40	02 white, 90 black, 95 silver	exclusive	230 Volt	1 pc.	2 year

### Energy-Saving Lamps

#### Energy-Saving Lamp MAULforte

- High quality aluminium arm
- Brushed stainless steel head, inclined
- Upper arm length 42 cm, lower 44 cm
- Height in normal working position 61 cm
- Reflector for optimal use of light
- Sturdy base with non-slip desk protection
- Flip switch on head for easy ON/OFF function
- Protection class II (double-insulated)
- Length of lead 1,70 m
- Energy-saving replacement bulb with socket E27, Art.-No. 828 80 05 (Megaman)
- 823 51: Includes 15 watt energy-saving bulb (E27, Megaman), 6500 Kelvin, daylight. The advantage of daylight is the high light strength and the purity of the reflection. Energy efficiency classification "A"
- 823 50: Suitable for compact (10,5 x 6,0 cm) energy-saving bulb E27



Art. No.	Colours	Bulb	Voltage	PU	Guarantee
823 51	95 silver	included	230 Volt	1 pc.	2 year
823 50	95 silver	exclusive	230 Volt	1 pc.	2 year

#### Energy-Saving Lamp MAULstudy

- Metal arm and head, can be rotated by 360°
- Versatile adjustment of arm and head
- Upper arm length 40 cm, lower 37 cm
- Height in normal working position 51 cm
- Reflector for optimal use of light
- Sturdy desk clamp (up to 5,5 cm)
- Flip switch is on the lead near the clamp
- Protection class II (double-insulated), Length of lead 1,75 m
- Energy-saving bulb with E27 socket also possible as replacement, Art.-No. 828 76 05 (Megaman)
- 823 06: Includes 11 watt energy-saving bulb (E27, Megaman), 2700 Kelvin, warm whitelight. Energy efficiency class "A"
- 823 05: Suitable for other compact (10,5 x 6,0) energy-saving bulbs with E27 socket



Art. No.	Colours	Bulb	Voltage	PU	Guarantee
823 06	90 black, 95 silver	included	230 Volt	1 pc.	2 year
823 05	90 black, 95 silver	exclusive	230 Volt	1 pc.	2 year

#### Energy-saving lamp LUM Lagoon

- Includes 20 watt energy-saving bulb (E27), 1.200 lumen, 2.700 Kelvin, 10.000 hours
- Power consumption 20 watt, energy efficiency class "A"
- Double-insulated
- Aluminium arm of adjustable height, length 46 cm
- Height in normal working position 50 cm
- Versatile adjustment of reflector with micro-perforated cover, length 24 cm
- Oval lacquered steel base with plastic cover, 20 cm, desk clamp included as an alternative
- Switch on lamp head
- Length of lead 1,65 m



Art. No.	Colours	PU	Guarantee
823 07	37 blue, 90 black	1 pc.	2 year



### Energy-Saving Lamps



#### Energy-Saving Lamp MAULatlantic



- Includes 11 watt energy-saving bulb (G23), 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency classification "A"
- With electronic control gear (ECG)
- The ECG ensures an anti-glare light with no flackering and a lower consumption
- No energy consumption when switched off
- Upper arm length 34 cm, lower arm 33 cm
- Reflector for optimal use of light
- Flip switch on head for easy ON/OFF function
- Protection class II (double-insulated)
- Length of lead 1,8 m, electronic voltage 230 V
- Energy-saving replacement bulb with G23 socket, Art.-No. 828 12 05
- 821 35: Metal clamp version. Height in normal working position 42 cm
- 821 36: Stable weighted base. Height in normal working position 45 cm

Art. No.	Colours	Base	PU	Guarantee
821 35	02 white, 90 black, 95 silver	Clamp	1 pc.	2 year
821 36	02 white, 90 black, 95 silver	base	1 pc.	2 year



#### Energy-Saving Lamp MAULadria



- Includes 11 watt energy-saving bulb (G23), 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency classification "A"
- With electronic control gear (ECG)
- The ECG ensures an anti-glare light with no flackering and a low consumption
- No energy consumption when switched off
- Adjustable height, arm length 31 cm
- Height in normal working position 42 cm
- Reflector for optimal use of light
- Stable base with weighted inlay
- Flip switch on head for easy ON/OFF function
- Protection class II (double-insulated)
- Length of lead 1,8 m, electronic voltage 230 V
- Energy-saving replacement bulb with G23 socket, Art.-No. 828 12 05

Art. No.	Colours	PU	Guarantee
821 38	02 white, 90 black, 95 silver	1 pc.	2 year



#### Energy-Saving Lamp MAULEasy

- Includes 9 watt energy-saving bulb (G23), 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "A"
- Adjustable height, arm length 28 cm
- Height in normal working position 32 cm
- Reflector length 27 cm, for optimal use of light, revolvable
- ON/OFF switch on lamp base
- Protection class II (double-insulated), length of lead ca. 1,8 m
- Energy-saving replacement bulb with G23 socket, Art.-No. 828 09 05

Art. No.	Colours	Voltage	PU	Guarantee
821 32	90 black, 95 silver	230 Volt	1 pc.	2 year

### Halogen Lamps



#### Halogen Desk Lamp MAULtechno

- Includes 50 watt halogen bulb (GY6), 2900 Kelvin, warm-white light and protection glass
- Aluminium arm and head
- Versatile adjustment of arm and reflector
- Upper and lower arm length 41 cm
- Normal working height 50 cm
- Stable base, Ø 20 cm, with non-slip desk protection
- Tappet-switch on lamp head allows for a comfortable ON/OFF function
- Length of lead 1,85 m
- Replacement halogen bulb with GY6,35 socket, Art.-No. 829 50 05

Art. No.	Colours	Voltage	PU	Guarantee
822 60	90 black, 95 silver	12 Volt	1 pc.	2 year



#### Halogen Desk Lamp MAULcasino

- 50 watt halogen bulb (GY6) included, warm-white light, 2900 Kelvin
- Metal arm
- Versatile adjustment of arm and reflector
- Upper and lower arm length 40 cm
- Height in normal working position 49 cm
- Coloured glass head
- Robust metal base with non-slip desk protection
- Variable switch dimmer
- Length of lead 1,50 m
- Replacement halogen bulb with GY6,35 socket, Art.-No. 829 50 05

Art. No.	Colours	Voltage	PU	Guarantee
822 20	90 black, 95 silver	12 Volt	1 pc.	2 year



#### Halogen-Desk Lamp MAULsamba

- Se incluye bombilla de 50 vatios (GY6.35) 2900° Kelvin blanco caliente
- Brazo de aluminio
- Brazo y cabezal orientable
- Brazo inferior y superior de 40 cm
- Altura en posición normal de trabajo: 54 cm
- Pie pesado con capa de protección por debajo
- El código de color indica el color del cabezal de Ø 10,4 cm
- Conmutador con regulación continua
- Clase de protección eléctrica II
- Longitud de cable de aprox. 1,5 m
- Se pueden utilizar bombillas con casquillo GY6,35 (50 vatios)

Art. No.	Colours	Voltage	PU	Guarantee
822 70	05 transparent, 25 red, 95 silver	12 Volt	1 pc.	2 year

### Halogen Lamps



#### Halogen Desk Lamp MAULstep

- Includes 50 watt halogen bulb (GY6,35), 2900 Kelvin, warm-white light and protection glass
- Aluminium arm, versatile adjustment of arm and reflector
- Upper and lower arm length 41 cm
- Normal working height 52 cm
- Lamp head Ø 11 cm, with coloured, opaque glass top
- Colour code refers to the colour of the glass top
- Stable base, Ø 20 cm, with desk protection surface
- Tappet-switch on lamp head allows for a comfortable ON/OFF function
- Length of lead 1,80 m, electronic voltage 12 V
- Replacement halogen bulb with socket GY6,35, Art.-No. 829 50 05

Art. No.	Colours	Version	PU	Guarantee
822 18	02 white, 37 blue, 55 green	black	1 pc.	2 year
822 19	02 white, 37 blue, 55 green	silver	1 pc.	2 year



#### Halogen Desk Lamp MAULbow

- Includes 50 watt halogen bulb (GY6), 2900 Kelvin, warm-white light and protection glass
- Aluminium arm, versatile adjustment of arm and reflector
- Arm length 50 cm, normal working height 52 cm
- Arched rod allows for easy height adjustment
- Lamp head Ø 11 cm, with coloured, opaque glass top
- Colour code refers to the colour of the glass top
- Stable base, Ø 20 cm, with desk protection surface
- Tappet-switch on lamp head allows for a comfortable ON/OFF function
- Length of lead 1,80 m
- Replacement halogen bulb with GY6,35 socket, Art.-No. 829 50 05

Art. No.	Colours	Version	PU	Guarantee
822 12	02 white	silver	1 pc.	2 year
822 13	37 blue	black	1 pc.	2 year



#### Halogen Desk Lamp MAULpool

- Includes 50 watt halogen bulb (GY6), 2900 Kelvin, warm-white light and protection glass
- Metal arm
- Versatile adjustment of arm and reflector
- Upper arm length 43 cm, lower 16 cm
- Height in normal working position 49 cm
- Lamp head Ø 10 cm, inclined
- Robust base with non-slip desk protection
- Variable switch dimmer
- Length of lead 1,9 m
- Replacement halogen bulb for socket GY6,35, Art.-No. 829 50 05

Art. No.	Colours	Voltage	PU	Guarantee
822 80	95 silver	12 Volt	1 pc.	2 year



### Halogen Lamps



#### Halogen Desk Lamp MAULpica

- Includes 50 watt halogen bulb (GY6,35), 2900 Kelvin, warm-white light and protection glass
- Switch allows adjustment from 30 to 50 watt
- Metal arm
- Versatile adjustment of arm and reflector, reflector length 12 cm
- Arm length 47 cm, height in normal working position 53 cm
- Blue translucent glass head
- ON/OFF switch on base
- Length of lead 1,9 m
- Replacement halogen bulb for socket GY6,35, Art.-No. 829 50 05

Art. No.	Colours	Voltage	PU	Guarantee
822 34	90 black, 95 silver	12 Volt	1 pc.	2 year



#### Halogen Desk Lamp MAULbusiness

- Includes 50 watt halogen bulb (GY6,35) 2900 Kelvin, warm-white light and protection glass
- Noble aluminium arm, can be rotated 160°
- Upper and lower arm length 41 cm
- Height in normal working position 52 cm
- Versatile adjustment of arm and reflector
- Reflector length 13 cm, inclinable
- Sturdy metal base with charcoal-coloured design surface, rotatable
- Metal desk clamp (5,5 cm) included as an alternative
- Length of lead 1,8 m approx.
- Replacement halogen bulb for socket GY6,35, Art.-No. 829 50 05

Art. No.	Colours	Voltage	PU	Guarantee
822 50	95 silver	12 Volt	1 pc.	2 year



#### Halogen Desk Lamp LUM Flexi

- Includes 50 watt halogen bulb (GY6.35, 12 V) 3000 Kelvin and protection glass
- Arm length 45 cm, height in normal working position 45 cm
- Flexible arm with two joints to enable movement of the lamp head
- Reflector 10 cm, base 14 cm with desk-protection rubber feet
- Switch on the base with 2 positions 20 or 50 W
- Length of lead 1,6 m approx.

Art. No.	Colours	PU	Guarantee
822 02	90 black	1 pc.	2 year



#### Halogen Desk Lamp MAULarc

- Includes 20 watt halogen bulb (G4) 2700 Kelvin, warm-white light and protection glass
- Arm length 37 cm; height in normal working position 37 cm
- Steel flexi-arm mechanism, to adjust the angle of light
- Lamp head Ø 9,5 cm, sturdy base Ø 13,5 cm
- Rubber suction feet for stability
- ON/OFF switch on lamp base
- Length of lead 1,7 m approx.
- Replacement halogen bulb for socket G4, Art.-No. 829 20 05

Art. No.	Colours	Voltage	PU	Guarantee
822 04	90 black, 95 silver	12 Volt	1 pc.	2 year

### Desk Lamps



#### Table lamp LUM Modena

- For 11 watt energy-saving bulb (E27, 230 V), 660 lumen, 2.700 Kelvin, 10.000 hours, bulb not included
- Power consumption 11 watt, energy efficiency class "A"
- Double-insulated
- Conical pear wood column, 17 cm with chrome-plated steel antenna, 26 cm
- Chonical cotton lamp shade, Ø 40 cm
- Round pear wooden base, Ø 18 cm
- ON/OFF switch on a pull string
- Length of lead 1,6 m

Art. No.	Colours	PU	Guarantee
826 03	95 silver	1 pc.	2 year

#### Table lamp LUM Etoile

- Includes 12 watt energy-saving bulb (E14, 230 V), 700 lumen, 2.700 Kelvin, 15.000 hours
- Power consumption 12 watt, energy efficiency class "A"
- Double-insulated
- Column in lacquered steel, Ø 1 cm
- Chonical plastic lamp shade, Ø 19 cm, height 25 cm
- Total height 58 cm
- Square base made of lacquered steel, 15 x 15 cm
- Switch on lead
- Length of lead 1,5 m

Art. No.	Colours	PU	Guarantee
826 05	02 white, 25 red	1 pc.	2 year



### Desk Lamps



#### Desk Lamp MAULchrome

- Column made of cherry wood and chromed metal
- Total height 46 cm
- Chromed metal lamp shade, Ø 35 cm
- Stable chromed metal base, Ø 19 cm
- ON/OFF switch on lead, ca. 40 cm from base
- Protection class II, Euro plug
- Length of lead 1,6 m
- For 2 x 14 Watt energy-saving bulbs with E14 socket, Art.-No. 828 13 05 (bulb not included)

Art. No.	Colours	PU	Guarantee
826 01	95 silver	1 pc.	2 year



#### Desk Lamp MAULdome

- Column made of cherry wood and chromed metal
- Total height 46 cm
- Marbled glass shade, Ø 35 cm
- Stable chromed metal base, Ø 19 cm
- ON/OFF switch on lead, ca. 40 cm from base
- Protection class II, Euro plug
- Length of lead 1,6 m
- For 2 x 14 Watt energy-saving bulbs with E14 socket, Art.-No. 828 13 05 (bulb not included)

Art. No.	Colours	PU	Guarantee
826 02	95 silver	1 pc.	2 year



#### Desk Lamp MAULthalie

- Metal column
- Total height 46 cm
- Metal shade with marbled glass, Ø 28 cm
- Metal base, Ø 20 cm, with desk protection feet
- ON/OFF switch on lead, ca. 40 cm from base
- Protection class II, Euro plug
- Length of lead 1,6 m
- For 2 x 14 Watt energy-saving bulbs with E14 socket, Art.-No. 828 13 05 (bulb not included)

Art. No.	Colours	PU	Guarantee
826 04	95 silver	1 pc.	2 year

### Professional Work Station Lamps

#### Work Station Lamp MAULatelier


- Functional lamp for the workplace. Ideal for work in laboratories, workshops, engineering offices
- Includes 3 x 14 watt energy-saving fluorescent lamps (T5), 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "A"
- With electronic control gear (ECG)
- The ECG ensures an anti-glare light with no flackering and a low consumption
- Another advantage is the longer life cycle of the bulb
- Head with metallised parabola grid for glare-free work
- Sturdy metal arm can be rotated by 360°
- Upper arm length 40 cm, lower 40 cm
- Height in normal working position 40 cm
- Plastic-moulded metal desk clamp, up to 6,5 cm
- Protection class II
- Length of lead 1,5 m
- Energy-saving replacment bulb with G5 socket, Art.-No. 828 14 05

Art. No.	Colours	PU	Guarantee
826 70	02 white	1 pc.	2 year



### Magnifying Lamps

- Functional lamp for the workplace
- Includes protection flap
- Ideal for precision work in laboratories, workshops, machine stations, engineering offices and doctors' surgeries. Or for private use for handiwork, stamp collectors or precision mechanics



### Magnifying Lamp MAULviso

- Includes 22 watt energy-saving bulb (T9), ring form, 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency classification "B"
- With electronic control gear (ECG)
- The ECG ensures an anti-glare light with no flackering and a lower consumption
- Another advantage is the longer life cycle of the bulb
- Magnifying lens Ø 5" (Ø 12,7 cm), lens surface 126 cm<sup>2</sup>
- 3 dioptrre lens (magnification of 75%)
- Sturdy metal arm
- Protection class II
- Length of lead 1,6 m, electronic voltage 230 V
- Energy-saving bulb replacement with G10Q socket, Art.-No. 828 22 05
- 826 30: Plastic-moulded metal desk clamp, up to 6,5 cm. Upper arm length 40 cm, lower 40 cm. Height in normal working position 42 cm, arm can be rotated by 360°
- 826 31: Stable plastic base, 32 x 22 cm, with weighted inlay. Base can be rotated 60°. Upper and lower arm length 31 cm. Height in normal working position 50 cm

Art. No.	Colours	Base	PU	Guarantee
826 30	02 white, 90 black	Clamp	1 pc.	2 year
826 31	02 white, 90 black	Stand version	1 pc.	2 year

### Magnifying Lamp MAULvitrum



- Includes 2 x 9 watt energy-saving bulbs (G23), 6500 Kelvin, daylight
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency classification "A"
- With electronic control gear (ECG)
- The ECG ensures an anti-glare light with no flackering and a low consumption
- Another advantage is the longer life cycle of the bulb
- Magnifying lens 7,5" x 6,2" (19,5 x 15,75 cm), lens surface 300 cm<sup>2</sup>
- 3 dioptrre lens (magnification of 75%)
- Sturdy metal arm
- Protection class I
- Length of lead 1,6 m, electronic voltage 230 V
- Energy-saving replacement bulb with G23 socket, Art.-No. 828 10 05
- 826 40: Plastic-moulded metal desk clamp, up to 6,5 cm. Upper arm length 40 cm, lower arm 40 cm. Height in normal working position 42 cm. Arm can be rotated by 360°
- 826 41: Stable plastic base, 32 x 22 cm, with weighted inlay. Rotatable 60°. Upper and lower arm length 31 cm. Height in normal working position 50 cm

Art. No.	Colours	Base	PU	Guarantee
826 40	02 white, 90 black	Clamp	1 pc.	2 year
826 41	02 white, 90 black	Stand version	1 pc.	2 year



### Magnifying Lamps

- Functional lamp for the workplace
- Includes protection flap

- Ideal for precision work in laboratories, workshops, machine stations, engineering offices and doctors' surgeries. Or for private use for handiwork, stamp collectors or precision mechanics

### LED Magnifying Lamp MAULduplex



- With 60 LED, 6500 Kelvin, daylight white
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "A"
- 1200 Lux light strength at 30 cm distance
- Extremely low power consumption with 5 Watt
- Life length of LED over 20 000 hours
- 3 dioptre lens Ø 4" (Ø10 cm), with 1,75 times magnification
- Small embedded 12 dioptre lens Ø 1" (Ø 2,5 cm) with 4 times magnification
- Glare and reflection-free illumination of the objects
- Plastic arm, upper arm length 18 cm, lower arm 15,5 cm
- Height in normal working position 30 cm
- Stable plastic base, 15 x 18 cm, with steel inlay and desk protection covering
- Switch on base for easy switch-on and off.
- Protection class II
- Length of cable 1,4 m

Art. No.	Colours	PU	Guarantee
826 11	02 white, 90 black	1 pc.	2 year


### LED Magnifying Lamp MAULzoom



- With 90 LED, 6500 Kelvin, daylight white
- The advantage of daylight is the high light strength and the purity of the reflection
- Energy efficiency class "A"
- 1400 Lux at 35 cm distance
- Extremely low power consumption with 8 Watt
- Life length of the LED over 15 000 hours
- 3 dioptre lens Ø 5" (Ø 12,7 cm) with 1,75 times magnification
- Glare and reflection-free illumination of objects
- Robust metal arm can be rotated by 360°
- Upper arm length 45 cm, lower arm 45 cm
- Height in normal working position 48 cm
- Plastic covered metal clamp for desks up to 6,5 cm
- Switch on lamp head for easy switch-on and off
- Protection class II
- Length of lead 1,7 cm

Art. No.	Colours	PU	Guarantee
826 32	02 white, 90 black	1 pc.	2 year

### Uplighters



#### Energy-saving uplighter LUM Brescia

- Includes 55 Watt energy-saving bulb (E27 circline 220 - 240 V), 3.300 lumen, 2.700 Kelvin, 10.000 hours
- Power consumption 55 W, energy efficiency class "A"
- Double insulated
- Stable conical column made of lacquered steel, Ø 2,5 cm
- Total height 183 cm
- Round base made of lacquered steel, Ø 30 cm
- Round reflector in white opal glass, Ø 36
- Foot-switch on lead
- Length of lead 1,65 m

Art. No.	Colours	PU	Guarantee
825 04	90 black, 95 silver	1 pc.	2 year



#### Energy-saving uplighter LUM Cassiope

- Includes 65 Watt energy-saving bulb (GR10q 220 - 240 V), 4.600 lumen, 3.500 Kelvin, 10.000 hours
- Energy efficiency class "A"
- Stable lacquered metal column, Ø 4 cm
- Total height 185 cm
- Round base made of lacquered steel, Ø 29 cm
- Reflector Ø 29 made of lacquered steel and white opal glass
- Switch with analogue dimmer on column
- Length of lead 1,65 m

Art. No.	Colours	PU	Guarantee
825 01	90 black	1 pc.	2 year

### Uplighters

#### Energy-Saving Uplighter MAULsky

- Includes 2 x 20 Watt energy-saving bulb (E27), warm-white light, 2700 Kelvin
- Energy efficiency class "A"
- Stable metal column
- Height 175 cm
- Ø Lamp head 28 cm, Ø base 28 cm
- Switch on base
- Length of lead 1,8 m
- Replacement energy-saving bulb with E27 socket, Art.-Nr. 828 82 05

Art. No.	Colours	Voltage	PU	Guarantee
825 45	90 black, 95 silver	230 Volt	1 pc.	2 year

#### Halogen Uplighter MAULsky

- Includes 240 Watt halogen bulb (R7s), 2800 Kelvin, warm-white light and protection glass
- Stable metal column
- Height 175 cm
- Ø lamp head 28 cm, Ø base 28 cm
- Dimmer and On/Off switch on base
- Length of lead 1,8 m
- Replacement halogen bulb with socket R7s, Art.-No. 829 90 05

Art. No.	Colours	Voltage	PU	Guarantee
825 40	90 black, 95 silver	230 Volt	1 pc.	2 year



### Uplighters



#### Work Station Uplighter MAULnaos

- Includes 2 x 55 Watt energy-saving bulb (2G11), 4500 Kelvin neutral-white light
- Energy efficiency class "A"
- With ECG (electronic control gear)
- The ECG ensures an anti-glare light with no flackering and a lower consumption
- 40% upward and 60% downward emission
- Stable aluminium column
- Height 190 cm
- Perforated lamp head, 33 x 62 cm
- Stable steel base, 28 x 42 cm
- Switch on lamp head
- Protection class I
- Length of lead 2 m
- Replacement energy-saving bulb, with G5 socket, Art.-No.: 828 55 05

Art. No.	Colours	PU	Guarantee
825 14	95 silver	1 pc.	2 year



#### Work Station Lamp MAULmaioris

- Includes 2 x 55 Watt energy-saving bulbs (2G11), 4500 Kelvin neutral-white light
- Energy efficiency class "A"
- With ECG (electronic control gear)
- The ECG ensures an anti-glare light with no flackering and a lower consumption
- 85% upward and 15% downward emission
- Stable aluminium column
- Height 190 cm
- Lamp head with plastic guard, 33 x 62 cm
- Stable steel base, 28 x 42 cm
- Switch on lamp head
- Protection class I
- Length of lead 2 m
- Replacement energy-saving bulb, with G5 socket, Art.-No.: 828 55 05

Art. No.	Colours	PU	Guarantee
825 18	95 silver	1 pc.	2 year

### Uplighters



#### Working Station Uplighter MAULcentauri

- Includes 4 x 55 Watt energy-saving bulb (2G11), 4500 Kelvin, neutral white light
- Energy efficiency class "A"
- Variable dimmer
- Electronic power supply unit included; ensures a low power consumption and a non-flickering light
- 40 % upward and 60 % downward emission
- Stable aluminium column
- Height 190 cm
- Lamp head with perforated shade, 33 x 62 cm
- Stable steel base, 28 x 42 cm
- Switch on lamp head
- Protection Class I
- Length of lead 2 m
- Replacement energy-saving bulb, with socket 2G11, Art.-No.: 828 55 05


Art. No.	Colours	PU	Guarantee
825 70	95 silver	1 pc.	2 year



#### Working Station Uplighter MAULaludra

- Includes 4 x 14 Watt energy-saving bulb (G5), 4500 Kelvin, neutral white light
- Energy efficiency class "A"
- Electronic power supply unit included; ensures a low power consumption and a non-flickering light
- 60 % downward and 40 % upward emission
- Stable aluminium column
- Column in the middle
- Height 190 cm
- Lamp head with perforated shade, 33 x 62 cm
- Stable steel base, 28 x 42 cm
- Switch on lamp head
- Protection Class I
- Length of lead 2 m
- Replacement energy-saving bulb, with socket G5, Art.-No.: 828 15 05

Art. No.	Colours	PU	Guarantee
825 65	95 silver	1 pc.	2 year




#### Working Station Uplighter MAULavior

- Includes 4 x 14 Watt energy-saving bulb (G5), 4500 Kelvin, neutral white light
- Energy efficiency class "A"
- Electronic power supply unit included; ensures a low power consumption and a non-flickering light
- Downward emission
- Stable aluminium column
- Height 190 cm
- Lamp head 33 x 62 cm
- Stable steel base, 28 x 42 cm
- Switch on lamp head
- Protection Class I
- Length of lead 2 m
- Replacement energy-saving bulb, with socket G5, Art.-No.: 828 15 05

Art. No.	Colours	PU	Guarantee
825 60	95 silver	1 pc.	2 year

## Bulbs



### Energy-Saving Bulbs

- 828 09: Socket G23. 6500 Kelvin, waylight white light. 615 Lumen. For Art.-No. 821 32
- 828 10: Socket 2G7. 6500 Kelvin, warm-white light, daylight. 570 Lumen. For Art.-No. 826 40; 826 41
- 828 11: Socket G23. 2700 Kelvin, warm-white light. 1100 Lumen. For Art.-No. 821 35; 821 36; 821 38
- 828 12: Socket G23. 6500 Kelvin, daylight white light. 720 Lumen. For Art.-No. 821 35; 821 36; 821 38
- 828 14: Socket G5. 6500 Kelvin, daylight. 1250 Lumen. For Art.-No. 826 70
- 828 15: 4500 Kelvin, Tageslicht
- 828 20: Socket E27. 4500 Kelvin, neutral white light. 1152 Lumen. For Art.-No. 821 50
- 828 22: Socket G10Q. 6500 Kelvin, daylight white light. 1050 Lumen. For Art.-No. 826 30; 826 31
- 828 55: 4500 Kelvin, Tageslicht
- 828 76: Socket E27. 2700 Kelvin, warm-white light. 700 Lumen. For Art.-No. 823 05; 823 06; 823 40; 823 41; 823 50; 823 51; 823 60
- 828 78: Socket E27. 6500 Kelvin, daylight white light. 810 Lumen. For Art.-No. 823 40; 823 41; 823 05; 823 06; 823 50; 823 51, 823 60
- 828 80: Socket E27. 6500 Kelvin, daylight white light. 800 Lumen. For Art.-No. 823 50; 823 51; 823 60; 823 05; 823 06; 823 40; 823 41
- 828 82: Socket E27. 2700 Kelvin, warm-white light. 1151 Lumen. For Art.-No. 825 45; 823 05; 823 06; 823 40; 823 41; 823 50; 823 51; 823 60
- 828 84: Socket E27. 6500 Kelvin, daylight white light. 1170 Lumen. For Art.-No. 821 80; 821 81; 823 05; 823 06; 823 40; 823 41; 823 50; 823 51; 823 60

Art. No.	Colours	Watt	Life Cycle	PU	Guarantee
828 09	05 transparent	9	8000 h	1 pc.	
828 10	05 transparent	9	8000 h	1 pc.	
828 11	05 transparent	11	8000 h	1 pc.	
828 12	05 transparent	11	8000 h	1 pc.	
828 13	05 transparent	1 pc.			
828 14	05 transparent	14	8000 h	1 pc.	
828 15	05 transparent	14		1 St.	
828 20	05 transparent	20	5000 h	1 pc.	
828 22	05 transparent	22	8000 h	1 pc.	
828 55	05 transparent	55		1 St.	
828 76	05 transparent	11	10000 h	1 pc.	
828 78	05 transparent	14	10000 h	1 pc.	
828 80	05 transparent	15	15000 h	1 pc.	
828 82	05 transparent	20	8000 h	1 pc.	
828 84	05 transparent	20	8000 h	1 pc.	



### Halogen Bulbs

- 829 20: Socket G4. 2700 Kelvin, warm-white light. 250 Lumen. For Art.-No. 822 04
- 829 50: Socket GY6,35. 2900 Kelvin, warm-white light. 800 Lumen. For Art.-No. 822 12; 822 13; 822 18; 822 19; 822 20; 822 60; 822 70; 822 34; 822 50; 822 80
- 829 90: Socket R7s. 2800 Kelvin, warm-white light. 2800 Lumen. For Art.-No. 825 40

Art. No.	Colours	Watt	Life Cycle	PU	Guarantee
829 20	05 transparent	20	2000 h	1 pc.	
829 50	05 transparent	50	2000 h	1 pc.	
829 90	05 transparent	240	1000 h	1 pc.	